



Steam used for secondary heating like coils, vessels, heat exchangers etc, generate a lot of condensate post heat transfer. This large quantity of condensate can be handled by the Inverted Bucket Trap. This condensate has a substantial heat component with cost tagged to it. Also this is treated & pure water and can be used as Feed water for the boiler, saving the cost of heating, water bill and treatment chemicals. Therefore it makes sense to recycle / reuse this condensate. This function is done by the Inverted Bucket Trap which works on the principle of buoyancy [density difference of Water and Steam]. The rise in condensate level fills and envelopes the bucket causing it to sink which opens the mechanically linked valve and discharges the condensate, and reverse when the level of condensate drops, steam enters the bucket, causes the flotation of the bucket which close the valve and stops condensate discharge & traps the live steam.

FEATURES:-

- UKL UIBT is optimally sized for complete removal of condensate.
- UKL UIBT is designed to eliminate internal damages caused by impingement of condensate.
- Maintenance free and long life.
- UKL UIBT has unique & efficient internal mechanism
- Equipped with inbuilt strainer.

MATERIAL OF CONSTRUCTION:-


ASTM A216 Gr. WCB (Cast Carbon Steel)

SIZES AVAILABLE:-

20 NB & 25 NB

END CONNECTIONS:-

Screwed to BSP/BSPT/NPT Socket Weld to ASME B 16.11 Flanged End #300



OPTIONAL:-

IBR (On Request) Flanged End Connections

AVAILABLE DIFFERENTIAL PRESSURE (DP):-

1/2/4/5.5/8.5/12.5/17/31/41 Kg/cm² (g)

OPERATING CONDITIONS:-


Maximum Operating Pressure :- 41 Kg/cm² (g) Maximum Operating Temperature :- 400 °C

DESIGN CONDITIONS:-

Maximum Design Pressure :- 41.0 Kg/cm² (g) Maximum Design Temperature :- 426 °C



Inverted Bucket Steam Trap UIBT - 4102



					FLC)W	C/	1P/	lC/	TY	C	HA	RT -	- UI	ВТ		41	02	•				
	2000															I							
										ł.					H		1						
	1500				- 1	L		1		1			/		4		1		/				Ħ
				2	.2				/								1						Е
/hr.	1000			5	1		5	5	8	5	1	5			/	1			/			\checkmark	Н
Capacity, Kg/hr.	700			S	R.A.	D	5	OP	1	DR	1		/	31		1				/		F	Н
acit	700	/					4		/	OR	/		- 08			Ŧ		K					П
Cap	500								\forall	1				+ 2	7	1		H				\vdash	Н
								1					- d			\dagger		H				Т	П
	300 250		\angle													†							Н
	200	/				/		+		1						+							Н
		0	.1	0.	2 0.	3	0.5	5 0	.7	1		- 2	2	3	5	_	7	10)	- 2	20	30	50
						L	Diff	er	eni	tia	P	res	sur	e, I	(g/	cn	12 ((D	P)				

DIMENSIONS UIBT - 4102						
~H1	160 mm					
~H	295 mm					
L	215 mm					
WEIGHT (SW/SCREWED)	~24 Kgs					

BILL OF MATERIAL:-

ITEM	DESCRIPTION	M.O.C						
01	BODY	ASTM A216 Gr. WCB						
02	COVER	ASTM A216 Gr. WCB						
03	BUCKET	AISI 304						
04	BUCKET HOOK	AISI 304						
05	LEVER ASSEMBLY	AISI 304						
06	BRACKET ASSEMBLY	AISI 304						
07	VALVE PIN	ASTM A681 Gr. D2						
08	VALVE SEAT	ASTM A681 Gr. D2						
09	INLET TUBE	ASTM A106 Gr.B						
10	FILTER CAP	ASTM A105						
11	FILTER	AISI 304						
12	SPW GASKET	AISI 316 WITH GRAPHITE						
13	GASKET	CI-18						
14	HEX BOLTS	GR. 8.8 / ASTM A 193 Gr. B7						
15	NUTS	GR. 8 / ASTM A 193 Gr. 2H						
16	END PLUGS	ASTM A105						
17	NAME PLATE	STAINLESS STEEL						
18	BUCKET RING (Optional)	CARBON STEEL						

Other Products :



Cast / Forged Steel Piston Valves, Bellow seal valves, High Pressure valves (Gate/Globe), Strainers—"Y" Type, ITVS
Steam Traps (Thermodynamic, Thermostatic, Ball Float Traps and IBT), Pressure Reducing Station, Condensate Recovery Products.
Level Gauges (Reflex, Transparent, Bicolor), Sight Glass, Hot Water Generation System, Safety and Relief Valves.

FSD Products: Compressed Asbestos / Non Asbestos Fiber Sheeting / Cut Gaskets, Spiral Wound Gaskets / Gland Packing

In view of technical progress designs and dimensions are subject to change without notice.

UNI KLINGER LIMITED

A joint venture of the Neterwala group of companies and KLINGER AG. Switzerland.



Central Sales Office & Pune Branch: SC1, 5th Fl., Kohinoor Est. Mumbai-Pune Highway, Khadki, Pune-411 003.

Tel.: +91-20-4102 3000 Fax.: (020) 4102 3001

e-mail:salescso@uniklinger.com, salespune@uniklinger.com, Website:www.uniklinger.com

Factory: C-37, M.I.D.C., Ahmednagar – 414 111, Maharashtra, Tel.: 0241 – 2777223 / 2777512

Fax: 0241 - 2777294, E-mail: fcdworks@uniklinger.com

Branch Offices:

Baroda :102, Oftel Towers-II 1st Floor, R.C. Dutt Rd, Baroda-390 005, **Tel.**: 91-0265-2312343/2340660, **Fax.**: 91-265-2341419. **E-mail**: salesbar@uniklinger.com **Chennai** : East Coast Centre, 5th Floor, 553, Mount Rd, Teyanampet, Chennai - 600 018. **Tel.**: 91 - 44 - 24345707. **Fax.**: 91 - 44 - 24343960. **E-mail**: saleschen@uniklinger.com

Kolkata :9, Chitrakoot, 8th Floor, 230 A, AJC Bose Rd, Kolkatta-700 020, Tel.: 91-33-22872510, Fax.: 91-33-22876494. E-mail: salescal@uniklinger.com

Mumbai : 714, Ecstasy, City of Joy Complex, J.S.D. Rd, Mulund (W) Mumbai - 400080, Tel.: 91-22-25440463, Fax.: 91-22-25440463, E-mail: salesmum@uniklinger.com

New Delhi: 1003, 10th Flr., Indra Prakash Bldg. 21, Barakhamba Rd, Connaught Place New Delhi-110001, Tel.: 91-11-41658767, Fax.: 91-11-41658768. E-mail: salesdel@uniklinger.com